Amendments to the Claims:

Claims 10, 11, 15, 16, 29 and 35 have been amended herein. Please note that all claims currently pending and under consideration in the referenced application are shown below. Please enter these claims as amended. This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1-9. (Canceled)

- 10. (Currently amended) A stable non-aqueous single-phase biocompatible viscous vehicle, comprising: which comprises three components selected from the group consisting of solvent, surfactant, and polymer, wherein the components are not the same, wherein the a polymer is comprising polyvinylpyrrolidone; the a surfactant is comprising glycerol monolaurate; and thea solvent is comprising lauryl lactate; and wherein the viscosity of the vehicle is between about 1,000 and about 10,000,000 poise.
- 11. (Currently amended) A stable non-aqueous single-phase biocompatible viscous vehicle, comprising: which comprises three components selected from the group consisting of solvent, surfactant, and polymer, wherein the components are not the same, wherein the a polymer is comprising polyvinylpyrrolidone; thea surfactant is comprising polysorbate; and the a solvent is comprising lauryl lactate; and wherein the viscosity of the vehicle is between about 1,000 and about 10,000,000 poise.

12-14. (Canceled)

Serial No. 09/497,422

15. (Currently amended) A non-aqueous formulation comprising at least one beneficial agent uniformly suspended in a non-aqueous single-phase biocompatible viscous vehicle, the non-aqueous single-phase biocompatible viscous vehicle comprising: two components selected from the group consisting of solvent, surfactant, and polymer, wherein the three components selected from the group consisting of solvent, surfactant, and polymer, wherein the a polymer is-comprising polyvinylpyrrolidone; the a surfactant is-comprising glycerol monolaurate or polysorbate; and

thea solvent iscomprising lauryl lactate.

- 16. (Currently amended) A stable non-aqueous viscous protein formulation that is capable of being uniformly dispensed over an extended period of time at a low flow rate and is stable at body temperature for extended periods of time, the stable non-aqueous viscous protein formulation comprising:
- a) at least one beneficial agent; and
- b) a non-aqueous single-phase biocompatible viscous vehicle comprising two components selected from the group consisting of solvent, surfactant, and polymer, wherein the three components selected from the group consisting of solvent, surfactant, and polymer, wherein the a polymer is comprising polyvinylpyrrolidone, athe surfactant is comprising glycerol monolaurate or polysorbate, and athe solvent is comprising lauryl lactate.
- 17. (Previously presented) The stable non-aqueous viscous protein formulation of claim 16, wherein the at least one beneficial agent is present in an amount of at least about 0.1% (w/w).
- 18. (Previously presented) The stable non-aqueous viscous protein formulation of claim 16, wherein the at least one beneficial agent is present in an amount of at least about 10% (w/w).

19-20. (Canceled)

Serial No. 09/497,422

- 21. (Previously presented) The formulation of claim 16, wherein the stable non-aqueous viscous protein formulation is capable of being uniformly dispensed over an extended period of time at a low flow rate and is stable at 65° C for at least about 2 months.
- 22. (Previously presented) The formulation of claim 16, wherein the stable non-aqueous viscous protein formulation is capable of being uniformly dispensed over an extended period of time at a low flow rate and is stable at 37° C for at least about 3 months.
- 23. (Previously presented) The formulation of claim 16, wherein the viscosity of the vehicle is between about 1,000 and about 10,000,000 poise.

24-26. (Canceled)

27. (Previously presented) The formulation of claim 16, wherein the beneficial agent is dried to a low moisture content prior to incorporation in the stable non-aqueous viscous protein formulation.

28. (Canceled)

- 29. (Currently amended) A method for preparing a stable non-aqueous single-phase biocompatible viscous vehicle, the method comprising: the steps of
- (1) selecting three components selected from the group consisting of solvent, surfactant, and polymer, wherein the a polymer is comprising polyvinylpyrrolidone, thea surfactant is comprising glycerol monolaurate or polysorbate, and athe solvent is comprising lauryl lactate;
- (2) blending the three components polymer, the surfactant, and the solvent at elevated temperature under dry conditions to allow the three components polymer, the surfactant, and the solvent to liquefy; and
- (3) allowing the liquefied components to cool to room temperature such that a stable non-aqueous single-phase biocompatible viscous vehicle is formed.

- 30. (Previously presented) The method of claim 29, wherein the viscosity of the vehicle is between about 1,000 and about 10,000,000 poise.
- 31. (Previously presented) The method of claim 29, wherein the at least one beneficial agent is present in an amount of at least about 0.1% (w/w).
- 32. (Previously presented) The method of claim 29, wherein the at least one beneficial agent is present in an amount of at least about 10% (w/w).

33-34. (Canceled)

35.

which may be alleviated by administration of a beneficial agent, the method comprising:

providing a stable non-aqueous viscous protein formulation capable of being uniformly dispensed over an extended period of time at a low flow rate, the stable non-aqueous viscous protein formulation comprising the beneficial agent and a non-aqueous single-phase biocompatible viscous vehicle comprising three-components selected from the group consisting of solvent, surfactant, and polymer, wherein the a polymer iscomprising

(Currently amended) A method for treating a subject suffering from a condition

administering the stable non-aqueous viscous protein formulation to a subject, wherein the administering is long-term and continuous.

and thea solvent iscomprising lauryl lactate; and

polyvinylpyrrolidone, thea surfactant iscomprising glycerol monolaurate or polysorbate,

- 36. (Previously presented) The method of claim 35, wherein administering comprises use of an implantable drug delivery system
- 37. (Previously presented) The method of claim 35, wherein administering comprises daily administration of the stable non-aqueous viscous protein formulation and continues for a period selected from the group consisting of about 3 months, about 6 months, and about 12 months.

Serial No. 09/497,422

38. (Previously presented) The method of claim 35, wherein administering comprises administering the stable non-aqueous viscous protein formulation daily for a period selected from the group consisting of about 3 months, about 6 months, and about 12 months.

39-45. (Canceled)

- 46. (Previously presented) The formulation of claim 15, wherein the viscosity of the vehicle is between about 1,000 and about 10,000,000 poise, which formulation can be delivered from an implantable drug delivery system such that the exit shear rate of the formulation is between about 1 and 1 x 10^{-7} reciprocal second.
- 47. (Previously presented) The formulation of claim 16, wherein the viscosity of the vehicle is between about 1,000 and about 10,000,000 poise.
- 48. (New) The method of claim 35, wherein administering comprises parenterally administering the therapeutically effective amount of a stable non-aqueous viscous protein formulation.